Path: Projects__Development\Projects\LasEnsanadas-21083111s\Production\Dwgs\Titles\Montechino Tracts\Montechino Tract 2-LS

METES AND BOUNDS DESCRIPTION OF TRACT 2B

A DESCRIPTION OF A 13.649 ACRE TRACT OF LAND, LOCATED IN THE D & W RAILROAD COMPANY SURVEY No. 99, ABSTRACT No. 246 OF TRAVIS COUNTY, TEXAS. SAID 13.649 ACRE TRACT, BEING A PORTION OF LOTS 1, 2, AND 3, MARSHALL'S HARBOR, A SUBDIVISION IN TRAVIS COUNTY, TEXAS, OF RECORD AS DOCUMENT No. 200000248, OFFICIAL PUBLIC RECORDS, TRAVIS COUNTY, TEXAS. SAID 13.649 ACRE TRACT AS SHOWN ON THE ACCOMPANYING SURVEY, BEING MORE PARTICULARLY DESCRIBED BY METES AND BOUNDS AS FOLLOWS:

BEGINNING, at an iron rod with cap stamped "ACCUSURVE" (Grid Coordinates: N 10,127,190.73, E 3,039,402.18) found to monument the common west corner between said Lot 3, and Lot 4, of said Marshall's Harbor, and the east right of way of Lohman Ford Road, a variable width public right of way;

THENCE, with the west line of said Lot 3, Lot 2, and Lot 1 of said Marshall's Harbor, and said east right of way of said Lohman Ford Road, the following three (3) courses

- 1. N 00° 54' 43" E, a passing distance of 554.53 feet to an iron rod with cap stamped "AMERISURVE" found to monument the common west corner between said Lots 1 and 2, continuing another passing distance of 909.37 feet to a calculated point for the common west corner of said Lots 2 and 3, in all a total distance of 1005.17 feet to an iron rod with cap stamped "AMERISURVE" found to monument an angle point in the west line of said Lot 1, and said east right of way of said Lohman Ford Road,
- 2. N 20° 24' 47" W, a distance of 318.08 feet to an iron rod with cap stamped "ACCUSURVE" found to monument an angle point in said west line of said Lot 1, and said east right of way of said Lohman Ford Road, and
- 3. N 28° 12' 50" W, a distance of 40.64 feet to an iron rod with cap stamped "NL" the common west corner of said Lot 1 and Lot B of said Marshall's Harbor;

THENCE, N 63° 45' 52" E, departing said east right of way of said Lohman Ford Road, with the common line between said Lot 1, and said Lot B, a distance of 15.15 feet to an iron rod with cap stamped "FORD" found to monument the easterly most corner of Lot 18-A, of Montechino Section 2 & 3A, a subdivision of record in Document No. 201400179, Official Public Records, Travis County, Texas;

THENCE, with the southwest lines of said Montechino Section 2 & 3A, the following twenty-four (24) courses:

- 1. S 28° 08' 09" E, a distance of 41.19 feet to a ½ inch iron rod with cap stamped "ATS" set to monument an angle point in the
- west line of said Lot 18A, Block A,
 2. S20 19' 30" E, a distance of 203.20 feet to an iron rod with cap stamped "FORD" found to monument the southernmost
- corner of said Lot 18A,
 3. N 69° 22' 33" E, a distance of 66.47 74 feet to an iron rod with cap stamped "FORD" found to monument southern most common corner between said Lot 18A and Lot 18B of said Montechino Section 2 &3A,
- 4. S 84° 02' 05" E, a distance of 102.24 feet to an iron rod with cap stamped "FORD" found to monument the southeast corner of said Lot 18B, and the southwest terminus of Camelot Woods Drive, a private right of way 50 feet in width,
- 5. S 83° 23' 43" E, a distance of 50.03 feet to an iron rod with cap stamped "FORD" found to monument the southeast terminus
- 6. With the east right of way of said Camelot Woods Drive, along a curve to the right, an arc distance of 73.68 feet, having a radius of 175.00 feet, a central angle of 24°07'19", and a chord which bears N 18° 25' 19" E, a distance of 73.13 feet to an iron rod with illegible cap found to monument the intersection of said east right of way of said Camelot Woods Drive with the
- southwest right of way of a Private Drive 30 feet in width, as shown on said Montechino Section 2 & 3A,
 7. S 50° 31' 54" E, with said southwest right of way of said Private Drive, a distance of 89.55 feet to a ½ inch iron rod with cap
- stamped "ATS set to monument an angle point,

 8. S 50° 32' 13" E, continuing with said southwest right of way of said Private Drive, a distance of 53.99 feet to a ½ inch iron
- rod with cap stamped "ATS" set to monument an angle point,

 9. S 46° 40′ 00" E, continuing with said southwest right of way of said Private Drive, a passing distance of 33.06 feet to a calculated point the southeast corner of the remainder of said Lot 1, and the northeast corner of the remainder of said Lot 2, in
- all a total distance of 52.43 feet to a ½ inch iron rod with cap stamped "ATS" set to monument an angle point, 10. S 40° 43' 10" E, continuing with said southwest right of way of said Private Drive, a distance of 51.87 feet to a ½ inch iron
- rod with cap stamped "ATS" set to monument an angle point,

 11. S 34° 43' 49" E, continuing with said southwest right of way of said Private Drive, a distance of 51.85 feet to a ½ inch iron
- rod with cap stamped "ATS" set to monument an angle point,

 12. S 28° 43' 14" E, continuing with said southwest right of way of said Private Drive, a distance of 51.85 feet to a ½ inch iron
- rod with cap stamped "ATS" set to monument an angle point,

 13. S 22° 42 56" E, continuing with said southwest right of way of said Private Drive, a distance of 51.85 feet to a ½ inch iron
- rod with cap stamped "ATS" set to monument an angle point,

 14. S 16° 42' 39" E, continuing with said southwest right of way of said Private Drive, a distance of 51.85 feet to a ½ inch iron rod with cap stamped "ATS" set to monument an angle point,
- 15. S 10° 42' 21" E, continuing with said southwest right of way of said Private Drive, a distance of 51.85 feet to a ½ inch iron
- rod with cap stamped "ATS" set to monument an angle point,

 16. S 04° 42' 04" E, continuing with said southwest right of way of said Private Drive, a distance of 51.85 feet to a ½ inch iron
- rod with cap stamped "ATS" set to monument an angle point,
 17. S 01 18' 13" W, continuing with said southwest right of way of said Private Drive, a distance of 52.04 feet to a ½ inch iron
- rod with cap stamped "ATS" set to monument an angle point,

 18. S 06° 35' 50" W, continuing with said southwest right of way of said Private Drive, a distance of 53.41 feet to a ½ inch iron
- rod with cap stamped "ATS" set to monument an angle point,
 19. S 07° 23' 18" W, a passing distance of 7.94 feet to a calculated point for the southeast corner of the remainder of said Lot 2,
- and the northeast corner of the remainder of said Lot 3, in all a total distance of 24.00 feet to a ½ inch iron rod with cap stamped "ATS" set to monument an angle point,
- 20. N 82° 41' 42" W, continuing with said southwest right of way of said Private Drive, a distance of 20.21 feet to an iron rod with cap stamped "FORD" found to monument a point of curvature of a curve to the left,
- 21. Along said curve to the left and arc distance of 156.92 feet, having a radius of 49.95 feet, a central angle of 180° 00' 00", and a chord which bears S 07° 27' 45" W, a distance of 99.90 feet to an iron rod with cap stamped "FORD" found to
- monument the southwest terminus of said Private Drive,

 22. S 82° 31' 03" E, with said southern terminus of said Private Drive, a distance of 50.,38 feet to a ½ inch iron rod with cap stamped "ATS" set to monument the southeast terminus of said Private Drive,
- 23. N 07° 29' 13" E, with the west right of way of said Private Drive, a distance of 69.40 feet to Nail found to monument the southwest corner of Lot 1, Block A, of said Montechino Section 2 & 3A, and
- 24. S 82° 35' 45" E, departing said west right of way of said Private Drive, with the south line of said Lot 1, a distance of 94.76
- feet to a ½ inch iron rod with cap stamped "ATS" set to monument the west right of way of Veranda Walk, a private right of way 60 feet in width, as shown on said Marshall's Harbor;

THENCE, with the east line of said of said Lot 3, and the east right of way of said Veranda Walk, the following two (2) courses:

- 1. S 07° 11' 41" W, a distance of 339.59 feet to an iron rod with cap stamped "EARTHQUEST" found to monument a point of curvature of a curve to the left, and
- 2. Along said curve to the left an arc distance of 277.92 feet, having a radius of 1030.00, a central angle of 15° 27' 36", and a chord which bears S 00° 11' 11" E, a distance of 277.08 feet to an iron rod with cap stamped "LANDDEV" found to monument the common east corner between said Lot 3, and Lot 4 of said Marshall's Harbor;


THENCE, departing said west right of way of said Veranda Walk, with the common line between said Lot 3, and said Lot 4, the following three (3) courses:

- 1. N 78° 40' 16" W, a distance of 218.90 feet to an iron rod with cap stamped "ACCUSURVE" found to monument an angle
- 2. N 84° 57' 16" W, a distance of 136.50 feet to an iron rod with cap stamped "ACCUSURVE" found to monument and angle
- 3. S 88° 26' 23" W, a distance of 229.83 feet to the **POINT OF BEGINNING** of the herein described tract and containing 13.649 acres of land, more or less.

TITLE SURVEY VILLA MONTECHINO, LP


Lot 1, 2, 3 and 12, Marshall's Harbor as recorded in Document No. 200000248 Official Public Records, Travis County, Texas out of the D & W RR Survey No. 99, Abstract No. 246.

LINE TYPES	
	BUILDING SETBACK
	EASEMENT
	JOINER LINE
—— Е ——	OVERHEAD ELECTRIC
////_//	WOOD FENCE
xx	WIRE FENCE
	METAL FENCE
	CHAIN LINE FENCE
	GUARD RAIL




ATS Job # 21083111s

	1/2" IRON ROD FOUND (OR AS NOTED)
$\overline{\bigcirc}$	1/2" (I.D.) IRON PIPE FOUND (OR AS NOTED)
0	IRON ROD FOUND W/CAP (AS NOTED)
\mathbf{O}	1/2" IRON ROD SET "ATS ENGINEERS"
$\stackrel{lack}{\Phi}$	NAIL FOUND (TYPE NOTED)
0	NAIL SET "ATS ENGINEERS"
₩	COTTON SPINDLE FOUND
Ā	CALCULATED POINT
•	BENCHMARK
Ĭ	"X" CHISELED IN CONCRETE
	CONCRETE MONUMENT
ē	CONCRETE MONUMENT W/DISK
	,
CMP	CORRUGATED METAL PIPE
ELEV	ELEVATION
P.0.B	POINT OF BEGINNING
0.P.R.T.C.T	OFFICIAL PUBLIC RECORDS TRAVIS COUNTY, TEXAS
	UTILITIES
A	AIR CONDITIONER
G	GAS METER
E	ELECTRIC METER
C	CABLE RISER
T	TELEPHONE RISER
TCB	TELEPHONE CABINET
ER	ELECTRIC RISER
ET	ELECTRIC TRANSFORMER
EVLT	UNDERGROUND ELECTRIC VAULT
<u> </u>	FIRE HYDRANT
CVLT	UNDERGROUND CABLE TV VAULT
GS	GAS STUBOUT / MARKER
TVLT	UNDERGROUND TELEPHONE VAULT
<u>\</u>	LIGHT STANDARD
(MH)	MANHOLE (TYPE & SIZE ON DRAWING)
<u></u>	SEPTIC
	SIGN
SV	SEWER VALVE
UVLT	UNK UNDERGROUND UTILITY VAULT
(UP)	UNDERGROUND PROPANE TANK
US	UNKNOWN UTILITY STUBOUT
	IRRIGATION CONTROL VALVE
(CO)	WASTEWATER CLEANOUT
WM	WATER METER
RR RR	WATER VALVE
[BB]	BREAKER BOX
	POWER POLE
JB	ELECTRIC JUNCTION BOX DRAIN GRATE/AREA INLET
D MD	,
MB	MAILBOX BROBANE TANK
<u>(P)</u>	PROPANE TANK
	GUY WIRE
Z G	YARD LIGHT
<u>&</u>	GAS LINE MARKER
0	BOLLARD POST
(STOP)	STOP SIGN



TITLE SURVEY VILLA MONTECHINO, LP



METES AND BOUNDS DESCRIPTION OF TRACT 2A

A DESCRIPTION OF A 8.272 ACRE TRACT OF LAND, LOCATED IN THE D & W RAILROAD COMPANY SURVEY No. 99, ABSTRACT No. 246 OF TRAVIS COUNTY, TEXAS. SAID 8.272 ACRE TRACT, BEING A PORTION OF LOT 12, MARSHALL'S HARBOR, A SUBDIVISION IN TRAVIS COUNTY, TEXAS, OF RECORD AS DOCUMENT No. 200000248, OFFICIAL PUBLIC RECORDS, TRAVIS COUNTY, TEXAS. SAID 8.272 ACRE TRACT AS SHOWN ON THE ACCOMPANYING SURVEY, BEING MORE PARTICULARLY DESCRIBED BY METES AND BOUNDS AS FOLLOWS:

BEGINNING, at an iron rod with cap stamped "FORD" (Grid Coordinates: N 10,128,836.07, E 3,040,199.82) found monumenting the southwest corner of said Lot 12, the southeast corner of Lot 13, the northwest corner of Lot 14, of said Marshall's Harbor, and the north corner of Lot 11, Block B, Montechino Section 2 &3A, a subdivision of record as Document No. 201400179, Official Public Records, Travis County, Texas;

THENCE, with the south line of said Lot 12, and the north line of said Montechino Section 2 & 3A, the following four (4) courses:

- 1. S 66° 52' 46" W, a distance of 120.01 feet to a ½ inch iron rod with cap stamped "ATS", set,
- 2. S 67° 43' 25" W, a distance of 188.44 feet to a ½ inch iron rod with cap stamped "ATS", set,
- 3. S 76° 00' 20" W, a distance of 156.86 feet to a iron rod with cap stamped "FORD", found, and
- 4. S 77° 45'28" W, a distance of 120.27 feet to an iron rod with cap stamped "FORD", found to monument the northwest corner of Lot 1, of said Montechino Section 2 & 3A, and the east right of way of Veranda Walk, a private right of way 50 feet in width, as shown on said Montechino Section 2 & 3A;

THENCE, with said east curving right of way of said Veranda Walk, the following three (3) courses:

- 1. Along a curve to the right, an arc distance of 15.24 feet, having a radius of 375.00 feet, a central angle of 2° 19' 45", and a chord which bears N 22° 55' 39" W, a distance of 15.24 feet to an iron rod with cap stamped "FORD" found to monument a point of tangency in said east right of way of said Veranda Walk,
- 2. N 22° 03' 45" W, a distance of 38.08 feet to an iron rod with cap stamped "FORD" found to monument a point of non-tangent curvature to the left, and
- 3. Along said curve to the left an arc distance of 131.01 feet, having a radius of 50 feet, a central angle of 150° 07' 17", and a chord which bears N 19° 10' 34" W, a distance of 96.62 feet to a ½ inch iron rod with a cap stamped "ATS" set to monument the east curving right of way of said Veranda Walk, a right of way 60 feet in width from this point north, as shown on said Marshall's Harbor;

THENCE, with the west line of said Lot 12, the east line of said Veranda Walk, the following two (2) courses:

- 1. Along said curving east right of way, a curve to the right, an arc distance of 145.44, having a radius of 1030.00 feet, a central angle of 8° 05' 27", and a chord which bears N 28° 27' 16" W, a distance of 145.32 feet to a ½ inch iron rod with cap stamped "ATS", set to monument a point of tangency, and
- 2. N 32° 25' 51" W, a distance of 272.68 feet to a ½ inch iron rod stamped "ATS" set to monument the northwest corner of said Lot 12, and the intersection of said east right of way of said Veranda Walk with the south right of way of Shoreline Ranch Drive, an 80 foot wide public right of way, as shown on said Marshall's Harbor;

THENCE, N 57° 40′ 16" E, with said south right of way of said Shorline Ranch Drive, and the north line of said Lot 12, a distance of 571.42 feet to a ½ inch iron rod with cap stamped "ATS" set to monument the common north corner of said Lot 12, and said Lot 13, and said south right of way of said Shoreline Ranch Drive;

THENCE, departing said south right of way of said Shoreline Ranch Drive, with the common line between said Lot12, and said Lot 13, the following three (3) courses:

- 1. S 24° 39′ 16" E, a distance of 150.84 feet to a ½ inch iron rod with cap stamped "ATS" set,
- 2. S 32° 19' 40" E, a distance of 156.61 feet to a ½ inch iron rod with cap stamped "ATS" set, and
- 3. S 28° 37' 01" E, a distance of 401.75 feet to the **POINT OF BEGINNING** of the herein described tract and containing 8.272acres of land, more or less.

Client: Johnson Davis Tauch Development LLC
Date of Field Work: 10/27/2021
Field: RBond/GPatton

Tech: LSerrano
Date Drawn: 1/5/2021

Path: Projects__Development\Projects\LasEnsanadas-21083111s\Production\Dwgs\Titles\Montechino Tracts\Montechino Tract 2-LS

ATS Job # 21083111s

TRACT 2